

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30				1. REQUISITION NUMBER MA-PR616.5-20120038		PAGE OF 1 5	
2. CONTRACT NO. GS-07F-0254U		3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER DTMA-93-F-2012-000008		5. SOLICITATION NUMBER DTMA-93-Q-2012-0017		6. SOLICITATION ISSUE DATE 07/03/2012
7. FOR SOLICITATION INFORMATION CALL:		a. NAME MARIE CASSE			b. TELEPHONE NUMBER (No collect calls) (504) 589.6583		8. OFFER DUE DATE/LOCAL TIME
9. ISSUED BY U.S. DOT/ Maritime Administration Gulf Div.Acquisition Office, MAR 380.3 Hale Boggs Building 500 Poydras Street Suite 1223 New Orleans LA 70130-3396			CODE 00093	10. THIS ACQUISITION IS <input checked="" type="checkbox"/> SMALL BUSINESS <input type="checkbox"/> HUBZONE SMALL BUSINESS <input type="checkbox"/> SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS <input type="checkbox"/> UNRESTRICTED OR <input checked="" type="checkbox"/> WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM <input type="checkbox"/> ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB) <input type="checkbox"/> 8(A)		<input checked="" type="checkbox"/> SET ASIDE: 100.00 % FOR: NAICS: 333924 SIZE STANDARD: 750	
11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED <input type="checkbox"/> SEE SCHEDULE		12. DISCOUNT TERMS		<input type="checkbox"/> 13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)		13b. RATING	
15. DELIVER TO U. S. DOT/Martime Administration Division of Gulf Operations Beaumont Reserve Fleet 2600Amoco Road Beaumont TX 77705		CODE 00093-DGO BRF		16. ADMINISTERED BY U. S. DOT Maritime Administration Gulf Div. Acquisition Office, MAR 380.3 500 Poydras Street, Suite 1223 Hale Boggs Building New Orleans LA 70130-3396		CODE 00093	
17a. CONTRACTOR/ OFFEROR AMERICAN MATERIAL HANDLING, INC. (dba: AMH) Attn: Kimberly McCleary 3651 Mars Hill Rd Ste 200A Watkinsville GA 30677-5986 TELEPHONE NO. 770-381-8436		CODE 782571574	FACILITY CODE	18a. PAYMENT WILL BE MADE BY MARAD A/P INVOICES P.O.BOX 25710 OKLAHOMA CITY OK 73125		CODE AMZ-160 (US. MAI	
<input type="checkbox"/> 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER				<input type="checkbox"/> 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED <input type="checkbox"/> SEE ADDENDUM			
19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES			21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
0001	THIS AWARD IS MADE PURSUANT TO RFQ DTMA-93-Q-2012-0017 AND QUOTE DATED JULY 12, 2012 FROM BRIAN RILEY. Telescopic Material Handler Forklift in accordance with the attached specifications and quoted item "Xtreme XR3034 Telehandler with specifications noted below: Specifications: Capacity 30,000 lbs (Use Reverse and/or Attach Additional Sheets as Necessary)			1	EA	283,588.00	283,588.00
25. ACCOUNTING AND APPROPRIATION DATA See schedule						26. TOTAL AWARD AMOUNT (For Govt. Use Only) \$289,084.00	
<input type="checkbox"/> 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-4, FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA				<input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED.			
<input checked="" type="checkbox"/> 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA				<input type="checkbox"/> ARE <input checked="" type="checkbox"/> ARE NOT ATTACHED.			
<input type="checkbox"/> 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.					<input checked="" type="checkbox"/> 29. AWARD OF CONTRACT: REF. _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:		
30a. SIGNATURE OF OFFEROR/CONTRACTOR				31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER) 			
30b. NAME AND TITLE OF SIGNER (Type or print)			30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER (Type or print)		31c. DATE SIGNED	
MARIE CASSE				MARIE CASSE		08/02/2012	

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	Lift Height 34' Forward Reach 17'6" Frame Leveling L/R 8° Operating Weight 47,850 lbs Power Train Engine Perkins 130 hp Tier III Fuel Capacity 72 gal Transmission Dana Axle Kessler Brakes Outboard Wet Disc Parking Brake Dry Disc Foam Filled Tires 16.0 x 25 - 28 E3 Hydraulics GPM 49 PSI 4,500 Hydraulic Oil Capacity 45 gal Dimensions Length to fork face 23'4" Width 102" Height 9'6", Wheel Base 148", Ground Clearance 15" Turning Radius 16'8" Heavy-duty Frame/Chassis and Roller Boom Melonite Pins and Rollers Auxillary Hydraulics Direct Dual Control Hydraulic Valve Actuation Robust Wiring, No Spades, No Pins Rear Axle Stabilization (RAS) Center Inline Engine Drive Train Full-time Planetary 4-Wheel Drive Steering - 4-Wheel Circle, Crab, 2-Wheel Front Back-Up Alarm Open ROPS Continued ...				

32a. QUANTITY IN COLUMN 21 HAS BEEN

RECEIVED INSPECTED ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE
--------------------------------------------------------	-----------	---------------------------------------------------------------------

32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE
	32g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	37. CHECK NUMBER
----------------------------------------------------------------------------------------	--------------------	---------------------------------	----------------------------------------------------------------------------------------------------------------------	------------------

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY
------------------------	------------------------	-------------

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT	42a. RECEIVED BY (<i>Print</i>)
41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	41c. DATE
	42b. RECEIVED AT (<i>Location</i>)
	42c. DATE REC'D (YY/MM/DD)
	42d. TOTAL CONTAINERS

CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED
 GS-07F-0254U/DTMA-93-F-2012-000008

PAGE OF
 3 5

NAME OF OFFEROR OR CONTRACTOR
 AMERICAN MATERIAL HANDLING, INC. (dba: AMH)

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Adjustable Hydraulic Operator Controls Suspension Seat Quick Attach Carriage Xtreme Service Accessibility Auxilary Hydraulics Headlights and Backup Lights Boom Tow and Hook Pin 60" Forks Options Included: Dual Batteries Flashing Strobe Light Screen on Right Hand Side of Cab (2) Sets of Ops/Maintenance/Service Manuals WARRANTY: Chassis 10 years or 15,000 hours Boom and rollers 5 years or 7,500 hours Hydraulics 3 years or 4,500 hours Powertrain 2 years or 3,000 hours Delivery: 11/07/2012 Accounting Info: 70XR161710.2012.97080FAC00.1261000000.25432.610066 00 / 7012617080FAC0 Funded: \$283,588.00				
0002	THIS ITEM IS NOT BEING EXERCISED. Option 1 Provide an annual service contract for a period of 5-years Accounting Info: 70XR161710.2012.97080FAC00.1261000000.25432.610066 00 / 7012617080FAC0 Funded: \$0.00		EA		0.00
0003	72" DUAL FORK POSITIONER CARRIAGE Delivery: 11/07/2012 Accounting Info: 70XR161710.2012.97076NDA00.1261000000.26960.610066 00 / 7012617076NDA0 Funded: \$5,496.00 The total amount of award: \$289,084.00. The obligation for this award is shown in box 26.	1	EA	5,496.00	5,496.00

ROUGH TERRAIN TELESCOPIC MATERIAL HANDLER FORKLIFT

1. **ABSTRACT:** This item outlines general requirements applicable for the purchase and delivery FOB ready for use to the Beaumont Reserve Fleet, 2600 Amaco Road, Beaumont, Texas, 77705 of a new diesel powered Rough Terrain Telescopic Material Handler Fork Lift with the following dimensions, specifications, standard equipment that are subject to the capacity chart shown. The machine design complies with current ASME/ANSI stability requirements for rough terrain forklifts. There is an Option 1 to supply an annual service contract.

DIMENSIONS:

Maximum Overall Width-----10 Feet.
Maximum Overall Height-----10 Feet.
Maximum Length(less forks)-----21 Feet.
Minimum Ground Clearance-----18 Inches.
Maximum Total Weight-----65,000 Pounds.
Frame Level-----+/-5 Degrees

SPECIFICATIONS:

Description: Rough Terrain Telescopic Material Handler Forklift.

Engine: Diesel, minimum 170 HP and minimum Tier-2 compliant.

Transmission: power-shift minimum 3-speed forward, 3-speed reverse

Axles: steerable outboard planetary.

Brakes: Dry disk brakes on all four wheels. Parking-pinion mounted dry disc on both axles. Independent front/rear brake systems. Dual brake accumulators for dead engine braking. Automatically activated spring applied hydraulically released parking brake on axle pinion. Brake activated transmission disconnect.

Tires: Tubeless industrial service.

Steering: 2-wheel, 4-wheel round, 4-wheel crab.

Boom: 2 section, welded construction. Dual shaft type carriage with rollback minimum 5-degrees with boom lowered and with forward tilt minimum 6-degrees with boom elevated. Minimum boom height 32-feet. Minimum boom forward reach 16-feet. Must be able to lift a minimum 17,000 lbs. with a minimum 12 foot reach at a zero (0) degree angle.

Forks: 3" X 7" X 60".

Fuel and hydraulic oil tank with a minimum 60 US gallon capacity each, Hydraulic pump governed by RPMs, Minimum 12 volt, 130 amp alternator.

2. **MINIMUM STANDARD EQUIPMENT:**

- 2.1 Pilot operated dual joystick boom and frame level controls.
- 2.2 Tilt adjustable joystick console.
- 2.3 4-wheel power steering.
- 2.4 Gauge instrumentation to include engine monitor gauges.
- 2.5 Hydraulic frame leveling and automatic self-leveling forks.
- 2.6 Capacity chart.
- 2.7 Quick disconnect carriage.
- 2.8 Installed Roll-Over Protection Structure and Falling Objects Protection Structure for the operator compartment.
- 2.9 Lockable fuel cap and engine compartment.
- 2.10 Service and park brake activated transmission disconnect.
- 2.11 Anti-restart keyed ignition switch with neutral start.
- 2.12 Load backrest and right hand arm rest.
- 2.13 Dual rear axle "stable lock" cylinder with backup accumulator
- 2.14 Dual lift cylinders
- 2.15 Adjustable suspension retractable seat with seat belt.
- 2.16 Anti-freeze.

ROUGH TERRAIN TELESCOPIC MATERIAL HANDLER FORKLIFT

- 2.17 Central Frame tilt lubrication.
- 2.18 Electric horn with backup alarm
- 2.19 Plate deck covers and anti-skid floor steps.
- 2.20 Dual batteries
- 2.21 Over center lock valves on all hydraulic functions.
- 2.22 Electronic foot throttle.
- 2.23 Mirrors: right and left side, external rear view mirror.
- 2.24 Two stage air cleaner complete with safety element and restriction indicator.
- 2.25 4 wheel drive.
- 2.26 Return line hydraulic oil filter minimum (10 micron).
- 2.27 Hydraulic tank pickup sump strainers.
- 2.28 Muffler guard.
- 2.29 Engine air intake grid heater.
- 2.30 Low coolant level warning.
- 2.31 Water in fuel warning.
- 2.32 Minimum 2 complete sets of operator/maintenance and parts manuals
- 2.33 Minimum 2-years/4000 hour warranty with minimum 5-years on structure
- 2.34 1-Flashing beacon
- 2.35 Rear window and side screens

- 3. **OPTION ONE (1) – ANNUAL SERVICE CONTRACT:** Provide this equipment with an annual service contract for a period of five (5) years.
- 4.

CAPACITY CHART

